

The Relationship of Mindfulness, Psychological Hardiness and Spirituality with Depression in Mothers

Zahra Ghasemi ^a, Mohammad Bagher Kajbaf ^{b*}

^a Faculty of Psychology and Educational Sciences, Islamic Azad University, Isfahan (Khorasgan) Branch, Isfahan, Iran.

^b Faculty of Education and Psychology, University of Isfahan, Isfahan, Iran.

ARTICLE INFO

ORIGINAL ARTICLE

Article History:

Received: ۱۳ Aug 2018

Revised: 21 Nov 2018

Accepted: 21 Jan 2019

*Corresponding Author:

Mohammad Bagher Kajbaf

Email:

m.b.kaj@edu.ui.ac.ir

Tel: +98 9131130628

Citation:

Ghasemi Z, Kajbaf MB. The Relationship of Mindfulness, Psychological Hardiness and Spirituality with Depression in Mothers. Social Behavior Research & Health (SBRH). 2019; 3(1): 287-297.

ABSTRACT

Background: In recent years, the incidence of depression in people, especially women, has been growing, making it essential to study psychological correlates with the disorder. Therefore, the present study was conducted to investigate the relationship of mindfulness, psychological hardiness and spirituality with depression in mothers.

Methods: The statistical population of this correlational study included all mothers aged 30 - 50 years in Isfahan in 2016 - 2017. To this end, 300 mothers were selected by convenience sampling. Data collection instruments were Mindfulness Skills Measures, Psychological Hardiness Questionnaire, Spirituality Questionnaire and Beck Depression Inventory. For data analysis, the descriptive statistics (mean and standard deviation) and inferential statistics (Pearson correlation coefficient and multiple regression analysis) were used.

Results: Mindfulness (-0.48), psychological hardiness (-0.39) and spirituality (-0.55) had a significant, inverse correlation with depression in mothers (P-value < 0.001). These components could significantly predict depression in mothers (P-value < 0.001).

Conclusion: Given the significant role of the subscales mindfulness, psychological hardiness and spirituality in predicting mothers' depression, it is suggested that the education of these components to mothers be taken into consideration to prevent the occurrence of depression.

Keywords: Mindfulness, Psychological Hardiness, Spirituality, Depression



Introduction

Depression is one of the most commonly diagnosed psychological disorders, which is associated with a feeling of despair and hopelessness, discomfort, no motivation and hope, a decline in self-esteem, and pessimism.¹ Most people who are depressed are always sad, and do not enjoy the activities that they previously enjoyed or experience a combination of these two conditions.² For diagnosis of depression, according to the fifth edition of the Diagnostic and Statistical Manual of Psychiatric Disorders, the fifth revised edition), five or more signs should last most of the day, almost every day for at least two consecutive weeks, and cause significant clinical impairment in social, occupational, and other important functional areas. Diagnostic and statistical manual of mental disorders fifth revised edition.³ Studies have shown the overall prevalence of major depressive disorder (MDD) is 3 - 6%, and is twice in women than that in men; the lifetime prevalence of this disorder is 15 - 25%. As expected, over 150 million people across the world are currently suffering from the disorder.⁴ In the past, it was thought that depression is a short-term problem, but now it is considered a disease with a high relapse rate in many patients. In a person with phase 1 MDD, there is a 50% probability of occurrence of the phase 2 MDD, but after the phase 2, the likelihood of occurrence of subsequent phases increases by 80 - 90%.⁵

Mindfulness is one of the factors influencing psychological processes in people with depression.⁶⁻⁸ Mindfulness refers to aroused attention and awareness of what is happening at the present moment.⁹ This attention is a purposeful consideration, along with an unjudged acceptance of the experiences that are taking place at the present moment.¹⁰ Several researches have shown the role of mindfulness in various psychological disorders.

For example, Siegel (2009) has shown that mindfulness can lead to a reduction in various psychological problems, such as sadness, depression, insomnia, sexual problems and chronic pain.¹¹ Howell et al. (2008) reported that

mindfulness could increase mental health of individuals.¹² Besides that, the study of Weinstein et al. (2009) showed that individuals with higher mindfulness more frequently assessed stress in a logical manner and less frequently used avoidance coping strategies.¹³

Another component that can play a moderating role in causing psychological damage is psychological hardiness.¹⁴⁻¹⁶ Psychological hardiness modifies the way to cope with stressors and helps individuals to transform stressful conditions from potentially harmful situations to opportunities to promote function, leadership, affairs, health, and psychological development.¹⁷ Hardiness, as a personality trait, represents the peerless and active understanding of one's relationship with others and consists of three components, namely, challenge, control, and commitment.¹⁸ As a personality trait, hardiness has also been defined as a factor to prevent the adverse effects of stress on health. This trait, as a combination of thinking, emotions and behavior, helps individuals move toward a dynamic life and enrich their lives. Hardy people are highly curious and tend to think about their life as an interesting phenomenon and to make it meaningful.¹⁹

Spirituality is one of the components that have long been considered by the researchers and are thought to play a prominent role in preventing psychological damage.²⁰ Spirituality is a reflection of the human desire to achieve a transcendental existence or power beyond his /her control and understanding, which manifests his/her, unique cognitive existence against animals.

Spirituality is also an abstract aspect of human life that comprises a part of his/her secular or religious nature.²¹ Spirituality plays a dual role in the psychological system of individuals; on the one hand, it is a source of excitement, and on the other hand, it regulates emotions because of creating a semantic system.²² Spirituality refers to beliefs and actions that serve this hypothesis that there are transcendental (not physical) dimensions in human life that put him in close connection with God and



set up a range of virtues in him. Individuals in taking a spirituality-based action, seek to draw a meaningful process for life using their existential capacities, tendencies, spiritual motives and moral virtues that can entail behavioral, cognitive, emotional, metacognitive and emotional aspects.²³ Various researches have shown that spirituality helps individuals cope with stress.²⁴

Given the prominent role of mothers in the healthy life process and their unique roles in mental health of family members, especially children, as well as the negative impact of depression on the present and future lives of individuals, as well as the important role of the outcomes of this disorder in preventing its occurrence, as well as the lack of research on the relationship of mindfulness, psychological hardiness and spirituality with depression in mothers, this study will investigate the relationship between these components in mothers. Therefore, the main purpose of the present study is to investigate whether mindfulness, psychological hardiness and spirituality are related to depression in mothers.

Methods

The aim of this correlational study was to investigate the relationship of mindfulness, psychological hardiness and spirituality with depression in mothers. All mothers aged 30 to 50 years old in Isfahan in 2016 - 2017 comprised the study population from which samples were selected by convenience sampling. Since Houman (2006) has suggested that the minimum sample size for the desirable analysis of data and the fulfillment of external validity in descriptive-correlational studies is 250, then we asked 300 women aged 30 to 50 years living in Isfahan to participate in the study after the study objectives were explained to them. The sampling was conducted in places like hospitals, parents and teachers meetings and counseling centers across the city of Isfahan. In this study, mindfulness, psychological hardiness and spirituality were considered predictor variables and depression

regarded as criterion variable. The inclusion criteria were being 30 - 50 years old and having at least one child, having ability to read and write to answer research questions, and providing consent to participate in the study.

Exclusion criteria were lack of cooperation and failure to perform specified assignments, incompletely or inappropriately filling out the questionnaire, and withdrawing from the study.

Kentucky Inventory of Mindfulness Skills (KIMS)

The KIMS was developed by Baer, Smith and Allen in 2004. The inventory consists of 39 items and four subscales namely observing (items 1, 5, 9, 13, 17, 21, 25, 29, 30, 33, 37, 39), describing (items 2, 6, 10, 14, 18, 22, 26, 34), act with awareness (items 3, 7, 11, 15, 19, 23, 27, 31, 35, 38) and accept without judgment (items 4, 8, 12, 16, 20, 24, 28, 32, 36). The items are scored on a five-point Likert scale from very rarely to most of the time (1 - 5), and the minimum and maximum possible scores on the inventory are 39 and 195, respectively. The higher the score on the inventory, the higher the level of mindfulness.²⁵

The results of Baer et al. psychometric analysis (2006) showed that the KIMS had a high internal consistency (0.73), and the Cronbach's alpha coefficients of the subscales observing, describing, act with awareness, and accept without judgment were calculated at 0.91, 0.84, 0.83 and 0.87, with test-retest reliability coefficients of 0.65, 0.81, 0.86 and 0.83, respectively.²⁶ Besides that, a significant correlation has been reported between the KIMS and other instruments, such as Mindfulness Scales,²⁷ Freiburg Mindfulness Inventory (FMI),²⁸ Cognitive and Emotional Mindfulness Scale of Mindfulness,²⁹ and the Mindfulness Questionnaire.³⁰ Dehghan Manshadi et al. (2012) examined the psychometric properties of the KIMS in Iran. That study showed the Cronbach's alpha of the inventory was 0.82, and the factor analysis indicated it consisted of four factors, namely, observing, describing, act with awareness, and accept without judgment, which explained 42.26%



of the variance in the total scores achieved from the inventory. The convergent validity of the KIMS subscales have been obtained 0.47 - 0.78.³¹ The reliability of the whole inventory and the subscales observing, describing, act with awareness, and accept without judgment in the present study were calculated at 0.85, 0.90, 0.88, 0.85 and 0.85, respectively, using the Cronbach's alpha coefficient

Kobasa Hardiness Questionnaire

Kobasa Personal Outlook Evaluation Questionnaire is used to measure hardiness. The questionnaire was developed by Kobasa (1989) and consists of 50 items. The items are scored on a Likert scale between zero (absolutely incorrect) and 3 (absolutely correct). Therefore, the scores on the questionnaire range from 0 to 150. The questionnaire consists of three subscales struggling (items 2, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 37, 40, 43, 46, and 49), commitment (items 1, 8, 11, 14, 17, 20, 23, 26, 29, 32, 3, 39, 41, 44, 47, and 50), and control (items 3, 4, 5, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 35, 42, 45, and 48). Items 27, 26, 25, 24, 23, 22, 5, 4, 3, 2, 1 are scored inversely and the rest of the items are scored directly¹⁷. This questionnaire was translated by Ghorbani in 1992, and the face and content validity of its subscales, i.e., commitment, control, and struggling, as well as their reliability coefficients (0.70, 0.74 and 0.69, respectively) were reported, with the reliability coefficient of 0.75 for the whole questionnaire. In addition, Kravetz et al. (1993) reported an acceptable internal consistency for the questionnaire, and also calculated the Cronbach's alpha coefficients for its subscales at approximately 0.70.³³ Maddi and Khoshaba (1994) have also investigated the validity of this questionnaire.³⁴ The reliability of the subscales commitment, control and struggling, and the whole questionnaire in the current study were calculated at 0.75, 0.70 0.69, and 0.72 respectively, using the Cronbach's alpha coefficient.

The Spiritual Assessment Inventory (SAI)

The SAI (Hall and Edwards, 1996) was developed to assess the two dimensions of spiritual maturity: awareness of the existence of God and

the quality of relationship with God. The initial version of the inventory had five subscales awareness, realistic acceptance, disappointment, grandiosity, and instability. Hall and Edwards (2002) revised the scale and added the subscale health management to it, so the current version has six subscales.³⁵ The SAI is a self-report scale with 47 terms, some of which are composed of two sections. The respondent is expected to express his degree of agreement or disagreement with each of the items using a Likert scale.³⁶ Hall and Edwards (1996) reported the Cronbach's alpha coefficient for the subscales awareness, realistic acceptance, disappointment, grandiosity, instability, and health management to be 0.95, 0.90, 0.83, 0.73, 0.84 and 0.77, respectively.³⁵ After assessing the construct validity of the SAI, Hall and Edwards (2002) obtained an acceptable correlation between the inventory and Bell's Bell Object Relations Inventory,³⁷ Spiritual Well-being Questionnaire,³⁸ Internal/External Representation Questionnaire,³⁹ Narcissistic Personality Inventory⁴⁰ and Defense Styles Questionnaire.⁴¹ These results represent the acceptable construct validity of the SAI.³⁵ The reliability of the whole SAI and the subscales awareness, realistic acceptance, disappointment, grandiosity, and health management were calculated at 0.83, 0.89, 0.89, 0.89, and 0.86, respectively.

Beck Depression Inventory

The Beck Depression Inventory contains 21 items, each of which measures one dimension of depression. The items are rated on a 4-point Likert scale (0 - 3). The minimum and maximum attainable scores on the inventory are 0 and 63, respectively. By summing scores on all items, the score of the respondent can be easily obtained. Scores on this scale are categorized as follows: 0-13 (no or least depression), 14 - 19 (mild depression), 20 - 28 (moderate depression), and 29 - 63 (severe depression).⁴² Reliability and validity of the inventory have been frequently evaluated since its development until now, and the reported results have been mainly acceptable. In various



studies, the validity (r) of this test has been obtained as 0.73 – 0.93 with an average of 0.86. The concurrent validity correlation coefficient (r) with clinical grading for psychiatric patients was obtained as 0.55 - 0.96. The Beck Depression Inventory also has a high correlation with other depression scales. For example, the correlation coefficient (r) of this instrument with the Minnesota Multiphasic Personality Inventory was obtained 0.74.⁴³ The reliability of the inventory in the current was calculated at 0.84 using Cronbach's alpha coefficient. To observe research ethics, the consent of individuals to participate in the intervention was obtained and they were given information on all stages of the study. The participants were also assured that their information would remain confidential and that they would remain anonymous. Data analysis was done by SPSS₂₃ in two sections (descriptive and inferential statistics) using descriptive statistics, Pearson correlation coefficient and multiple regression analysis. First, the relationship of mindfulness, psychological hardiness and spirituality with depression was investigated by Pearson correlation coefficient, and then the contribution of each variable to predicting depression was evaluated by multiple regressions.

Results

In total, 20% of the women were 30 - 35 years, 37% 36 - 40, and 24% 41 - 45, and 19% 45 - 50. In addition, 16.67% (n : 50) had high school diploma and lower education level, 22.66% (n : 68) associate degree, 41.66% (125) bachelor's degree, 18.33% (n : 55) master's degree; 0.66% (n : 2) had PhD or were PhD students.

Before the calculation of Pearson correlation coefficients, the presumptions of parametric tests were investigated by Kolmogorov-Smirnov test, and the results showed the data were normally distributed (P -value < 0.05). In addition, the homogeneity of variance was also investigated by Levene's test, and the results indicated the statistic was not statistically significant, reflecting the

existence of homogeneity of variances (P -value < 0.05). Now, the inferential tables will be presented.

According to the matrix of Pearson correlation coefficients in Table 2, the subscales mindfulness (-0.48), psychological hardiness (-0.39) and spirituality (-0.55) were inversely correlated with depression in mothers (P -value < 0.001). Now, after ensuring the existence of correlation between the subscales, the regression tables will be examined to determine the contribution of each predictor variable (mindfulness, psychological hardiness and spirituality) to predicting the criterion variable (mothers' depression).

Based on the results of the above table, the F value of the regression model is significant. Therefore, predictor variables (mindfulness, psychological hardiness and spirituality) could significantly predict the criterion variable (mothers' depression). The model's explanation coefficient also showed that predictor variables (mindfulness, psychological hardiness, and spirituality) could explain 49% of variance in depression in mothers.

First, it is necessary to note that the study of the collinearity of predictor variables by the tolerance value indicated that 92% of variance in mindfulness was not explained by the psychological hardiness and spirituality subscales, 93% of variance in psychological hardiness was not explained by the mindfulness and spirituality subscales, and 94% of the variance in spirituality was not explained by the mindfulness and psychological hardiness subscales. This indicates a low correlation between the predictor variables, which provides the basis for use of regression analysis. The regression coefficients of all three subscales mindfulness, psychological hardiness and spirituality were drawn statistically significant (Table 4). As a result, a one-point increase in the subscale mindfulness, if the subscales psychological hardiness and spirituality are assumed fixed, would result in an average decrease of 0.28 in the standard deviation of mothers' depression scores. In addition, a one-point increase in the subscale psychological hardiness, if the



subscales mindfulness and spirituality are assumed fixed, would result in an average decrease of 0.19 in the standard deviation of mothers' depression scores. Finally, a one-point increase in the subscale spirituality, if the subscales mindfulness and psychological hardiness are assumed fixed, would result in an average decrease of 0.52 in the standard deviation of mothers' depression scores.

The current study, as any other studies, suffered from certain limitations such as lack of precise control to match the participants regarding the family demographic characteristics, which may

have influenced and therefore challenged the results. This study was conducted on the mothers in Isfahan, and therefore generalization of the results to other cities should be done with caution due to the differences in different subcultures. The measurement instruments may also influence the generalizability of the results, and it is suggested to use more inclusive measurement instruments along with clinical interview in future studies. The present study also had a methodological limitation as it is difficult to make causal inference in correlational studies.

Table 1. Descriptive results on studied variables

Subscale	Mean	SD	Min	Max	Acceptable Range
Psychological hardiness	83.126	2.20	70	174	۱۱۰ - ۱۳۰
Spirituality	1.83	11.17	36	129	۷۰ - ۹۰
Mindfulness	28.175	5.24	93	224	۱۳۰ - ۱۵۵
	65.18	54.10	6	46	۱۹ - ۲۲

Table 2. Pearson Correlation Coefficient between Mindfulness, Psychological Hardiness and Spirituality with Depression in Mothers

Variables		Mindfulness	Psychological hardiness	Spirituality
Depression	Pearson correlation coefficient	-0.48**	-0.39**	-0.55**
	Significance value	0.0001	۰,۰۰۰۱	۰,۰۰۰۱

Table 3. Summary of analysis of variance of regression model on mothers' depression scores based on the subscales mindfulness, psychological hardiness and spirituality

Source of variances	Total sum of squares	df	Mean square	F	Significance level	Multiple correlation coefficient	Explanation coefficient
Regression	2421.33	3	807.11	29.47	0.0001	0.70	0.49
Remaining	8131.86	297	27.38				
Total	10553.19	299					

Table 4. Regression coefficients of mothers' depression scores based on mindfulness, psychological hardiness and spirituality

Predictor variables	Unstandardized coefficient	(Std. Error)	Standardized coefficient	t value	P-value	Collinearity Tolerance value
Mindfulness	-۰,۲۵	0.07	-۰,۲۸	-۳,۶۶	0.0001	0.92
Psychological hardiness	-۰,۱۴	0.06	-۰,۱۹	-۲,۵۵	0.1	0.93
Spirituality	-۰,۳۴	0.05	-۰,۵۲	-۶,۷۶	0.0001	0.94



Discussion

The purpose of this study was to investigate the relationship of mindfulness, psychological hardiness and spirituality with depression in mothers. The results of data analysis showed that the subscales mindfulness, psychological hardiness and spirituality had a significant, inverse correlation with depression in mothers (P -value < 0.001). The findings also showed that these components could significantly predict the depression in mothers (P -value < 0.001). This current study is in agreement with other studies in this field, as the study of Siegel (2010) showed that having mindfulness could significantly reduce sadness, depression, insomnia, sexual problems and chronic pain. Howell et al. (2008) reported that mindfulness could affect a harmful psychological component such as depression by increasing mental health.¹²

Weinstein et al. (2009) have shown that individuals with high levels of mindfulness are able to reasonably analyze stressful conditions and less frequently use avoidance coping strategies.¹³

In explaining the significant role of mindfulness in predicting mothers' depression, it can be argued that mindfulness increases psychological flexibility, and offers new alternatives to him/her at the moment that one feels he/she can no longer do anything. Mindfulness helps one to establish a new relationship with all internal and external resources for learning and recovery, which even he/she may think to be deprived of.⁵

Mindfulness can lead to behavioral patterns that entail less disturbing thoughts and emotions, e.g., depression.⁴⁴ It has also been found that mindfulness can reduce cortisol levels.⁴⁵ Other studies have shown that these physiological effects increase acceptance and reduce the likelihood of developing psychological disorders in the individual. Some evidence suggests that mindfulness can have a relationship with structural changes in certain regions of the brain that deal with sensory, cognitive and emotional processing, which also reduces negative emotions by labeling negative emotional stimuli.⁴⁶ To explain the

significant relationship between psychological hardiness and depression, it can be argued that psychological hardiness leads to psychological flexibility in individuals.⁴⁷ Besides that, the psychological flexibility model has shown that mental and physical health problems can be partly due to attempts to control hidden negative experiences.⁴⁸ Psychological flexibility refers to the ability to establish open and direct contact with experiences at the present moment, and to insist on or change behavior according to what individual position, values, and goals are required.⁴⁹ Hayes et al. (2006) and Bond et al. (2008) have argued that psychological flexibility can lead to effective actions to adapt to personal values in the presence of intervening emotions, thoughts and physical sentiments.^{49, 50} In coping with physical and psychological problems, psychological hardiness can lead to the individual's quest for suppressing unwanted thoughts and avoiding undesirable feelings or emotions, distraction immediately after the current experience or attempt to change the current psychological state, especially when these responses interfere with the attainment of goals and the pursuit of long-term values.⁵¹ It should also be noted that individuals who have psychological hardiness, perceive life changes as positive and challenging, and seek to make certain changes to different aspects of their lives. These people are more likely to seek new, fresh and intense stimulations, and are more prepared for risk taking, and thus have higher levels of excitement and lower depression.

The findings of the present study regarding significant relationship between spirituality and depression are consistent with the results of Ghobari Bonab et al. (2009) and Springer et al. (2003).^{52, 53} Taken together, it can be argued that spirituality is a dimension of man that reflects his/her relationship and integrity with the universe. Relationship and integrity offer humans hope and meaning, transcend them from the limits of time, place, and material interests, and considerably prevent development of psychological damage in them.⁵⁴



Religion and spirituality provide a set of words and frameworks through which human beings can understand the meaning of their lives. Spirituality is expressed and shaped by accepted acts and beliefs of any given culture. This approach refers to spirituality in its original meaning. Spiritual needs in the realm of official religion are deeply and inherently associated with the belief in God or other divinities.²² It seems that the spiritual needs have both an internal value and meaning and an external value and meaning.

Conclusion

Spirituality provides the person with mental and insightful approaches, such as knowledge promotion, belief in God, patience, asceticism, faith, gradual growth of divine insight, prayer, and the restoration of divine nature, to bring mental relaxation for him/her. Meanwhile, the role of orientation and functional strategies, the reduction of worldly belongings, the teachings on normal behavior, repentance, the reduction of the regret for the past, the strengthening of the will to leave the sin, etc., also demonstrate the effectiveness of religion and spirituality on mental health and depression. Mental peace, relaxation, and comfort caused by the spiritual and religious considerations are due to the individual's conscious and sincere interest in them.

Conflicts of Interest

In this study, was not reported any potential conflicts of interest with the authors.

Acknowledgments

The present article was derived from a master's thesis. Hereby, the authors gratefully thank all mothers who participated in the study, and health centers, hospitals and cultural centers that collaborated with the study. Further, in the current study all ethical issues were observed base on the Helsinki Declaration.

Authors' Contribution

Conceptualization, M.B.K. and Z.Gh.; Methodology, Z.Gh.; Formal Analysis, M.B.K., Investigation, Z.Gh.; Data Curation, Z.Gh.,

Writing – Original Draft, Z.Gh. and M.B.K.; Writing –Review and Editing, M.B.K.; Resources, Z.Gh. and M.B.K.; Supervision, Z.Gh.

All authors read and approved the final manuscript and are responsible about any question related to article.

References

1. Dear BF, Zou J, Titov N, et al. Internet-delivered cognitive behavioral therapy for depression: A feasibility open trial for older adults. *Australian & New Zealand Journal of Psychiatry*. 2013;47(2):169-176.
2. Katon W, Lin EH, Kroenke K. The association of depression and anxiety with medical symptom burden in patients with chronic medical illness. *General Hospital Psychiatry*. 2007;29(2):147-155.
3. Ganji M. Psychological pathology based on DSM IV. Terhan: Savalan Publications; 2013. [Persian]
4. Sadook BJ, Sadook WA, Ruins P. Summary of psychiatry, behavioral sciences/ clinical psychiatry. [Translated by Farzin Reza'ie]. Tehran: Arjmand Publications; 2015. P:644. [Persian]
5. Avenevoli S, Swendsen J, He JP, Burstein M, Merikangas KR. Major depression in the National Comorbidity Survey–Adolescent Supplement: prevalence, correlates, and treatment. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2015;54(1):37-44.
6. Kingston J, Chadwick P, Meron D, Skinner TC. A pilot randomized control trial investigating the effect of mindfulness practice on pain tolerance, psychological well-being, and physiological activity. *Journal of psychosomatic research*. 2007;62(3):297-300.
7. Carmody J, Reed G, Kristeller J, Merriam P. Mindfulness, spirituality, and health-related symptoms. *Journal of Psychosomatic Research*. 2008;64(4):393-403.
8. Emanuel AS, Updegraff JA, Kalmbach DA, Ciesla JA. The role of mindfulness facets in affective forecasting. *Personality and Individual Differences*. 2010;49(7):815-818.



9. Walsh JJ, Balint MG, SJ DR, Fredericksen LK, Madsen S. Predicting individual differences in mindfulness: The role of trait anxiety, attachment anxiety and attentional control. *Personality and Individual differences*. 2009;46(2):94-99.
10. Leigh J, Bowen S, Marlatt GA. Spirituality, mindfulness and substance abuse. *Addictive Behaviors*. 2005;30(7):1335-1341.
11. Siegel RD. *The mindfulness solution: Everyday practices for everyday problems*. New York: Guilford Press; 2009.
12. Howell AJ, Digdon NL, Buro K, Sheptycki AR. Relations among mindfulness, well-being, and sleep. *Personality and Individual Differences*. 2008;45(8):773-777.
13. Weinstein N, Brown KW, Ryan RM. A multi-method examination of the effects of mindfulness on stress attribution, coping, and emotional well-being. *Journal of Research in Personality*. 2009;43(3):374-385.
14. Sariolghadam Z, Bakhshipour A, Hashemi T, Zahednejhad H. The role of hardiness in mediating negative effects of stress on memory function. *Journal of Social Psychology (New Findings in Psychology)*. 2012;7(21):33-46.
15. Hamid N. Relationship between psychological hardiness, life satisfaction and hope with academic performance of pre-university female students. *Journal of Applied Psychology*. 2011;4(4):101-116.
16. Dehghani A, Kajbaf MB. The relationship between coping styles and hardiness among students. *Knowledge and Health*. 2013;8(3):112-118. [Persian]
17. Asli Azad M, Rajaei R, Farhadi T, Aghasi A, Shahidi L. Investigating the relationship between hardiness as well as resiliency and burnout aspects in the care givers of the physically, mentally and multiple retarded patients at the welfare organization in 2015. *Community Health journal*. 2016;10(2):24-32. [Persian]
18. Maddi SR, Harvey RH, Khoshaba DM, Fazel M, Resurreccion N. The personality construct of hardiness, IV: Expressed in positive cognitions and emotions concerning oneself and developmentally relevant activities. *Journal of Humanistic Psychology*. 2009;49(3):292-305.
19. Civitci N, Civitci A. Social comparison orientation, hardiness and life satisfaction in undergraduate students. *Procedia-Social and Behavioral Sciences*. 2015;205:516-523.
20. Jowkar B, Kamali F. The relationship between spirituality and cognitive emotion regulation. *Developmental Psychology (Journal of Iranian Psychologists)*. 2016;12(48):377-385. [Persian]
21. Dowling EM, Scarlett WG. *Encyclopedia of religious and spiritual development*. Thousand Oaks, California: Sage Publications; 2006.
22. Watts F. Emotional Regulation and Religion. In: Gross J. *Handbook of Emotion Regulation*. 2nd ed. New York: Guilford Press; 2007. P:504-520.
23. Saroglou V, Muñoz García A. Individual differences in religion and spirituality: An issue of personality traits and/or values. *Journal for the Scientific Study of Religion*. 2008;47(1):83-101.
24. Watts F, Nye R, Savage S. *Psychology for Christian ministry*. London: Routledge; 2002.
25. Baer RA, Smith GT, Allen KB. Assessment of mindfulness by self-report: The Kentucky inventory of mindfulness skills. *Assessment*. 2004;11(3):191-206.
26. Baer RA, Smith GT, Hopkins J, Krietemeyer J, Toney L. Using self-report assessment methods to explore facets of mindfulness. *Assessment*. 2006;13(1):27-45.
27. Brown KW, Ryan RM. The benefits of being present: mindfulness and its role in psychological well-being. *Journal of Personality and Social Psychology*. 2003;84(4):822.
28. Buchheld N, Grossman P, Walach H. Measuring mindfulness in insight meditation (Vipassana) and meditation-based psychotherapy: The development of the Freiburg Mindfulness Inventory (FMI). *Journal for Meditation and Meditation Research*. 2001;1(1):11-34.
29. Feldman GC, Hayes AM, Kumar SM, Greeson JM. Development, factor structure, and initial validation of the Cognitive and Affective Mindfulness Scale; 2004. [Unpublished]



30. Chadwick P, Hember M, Mead S, Lilley B, Dagnan D. Responding mindfully to unpleasant thoughts and images: Reliability and validity of the mindfulness questionnaire; 2005. [Unpublished]
31. Dehghan Manshadi Z, Taghavi MR, Dehghan Manshadi M. Psychometric characteristics of the Kentucky inventory of mindfulness skills. *Journal of Clinical Psychology Andishe va Raftar*. 2012;7(25):27-36. [Persian]
32. Ghaseri R, Sarandi P, Gholmohammad Nejad GR, Eyvazian F. The relational study of emotional intelligence and hardiness among teachers of Sarab city. *Journal of Instruction and Evaluation*. 2012;4(16):69-80. [Persian]
33. Kravetz S, Drory Y, Florian V. Hardiness and sense of coherence and their relation to negative affect. *European Journal of Personality*. 1993;7(4):233-244.
34. Maddi SR, Khoshaba DM. Hardiness and mental health. *Journal of Personality Assessment*. 1994;63(2):265-274.
35. Hall TW, Edwards KJ. The spiritual assessment inventory: A theistic model and measure for assessing spiritual development. *Journal for the Scientific Study of Religion*. 2002;41(2):341-357.
36. Giovagnoli AR, Meneses RF, Da Silva AM. The contribution of spirituality to quality of life in focal epilepsy. *Epilepsy & Behavior*. 2006;9(1):133-139.
37. Bell M, Billington R, Becker B. A scale for the assessment of object relations: Reliability, validity, and factorial invariance. *Journal of Clinical Psychology*. 1986;42(5):733-741.
38. Ellison CW. Spiritual well-being: Conceptualization and measurement. *Journal of Psychology and Theology*. 1983;11(4):330-338.
39. Gorsuch RL, McPherson SE. Intrinsic/extrinsic measurement: I/E-revised and single-item scales. *Journal for the Scientific Study of Religion*. 1989:348-354.
40. Raskin R, Terry H. A principal-components analysis of the Narcissistic Personality Inventory and further evidence of its construct validity. *Journal of Personality and Social Psychology*. 1988;54(5):890-902.
41. Andrews G, Singh M, Bond M. The defense style questionnaire. *Journal of Nervous and Mental Disease*. 1993; 181(4):246-256.
42. Fathi E, Farhadi T. The effectiveness of self-forgiveness group counseling based on Quranic concepts on depression in high school boy students. *The Journal of New Thoughts on Education*. 2016;12(3):109-126. [Persian]
43. Raesian AS, Golzari M, Borjali A. Effectiveness of hope therapy on reducing depressive symptoms and preventing of relapse in cure-seeker women with dependency to narcotic drugs. *Research on Addiction*. 2011;5(17):21-40. [Persian]
44. McCracken LM, Gauntlett-Gilbert J, Vowles KE. The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability. *Pain*. 2007;131:63-69.
45. Galantino ML, Baime M, Maguire M, Szapary PO, Farrar JT. Association of psychological and physiological measures of stress in health-care professionals during an 8-week mindfulness meditation program: Mindfulness in practice. *Stress and Health: Journal of the International Society for the Investigation of Stress*. 2005;21(4):255-261.
46. Lazar SW, Kerr CE, Wasserman RH, et al. Meditation experience is associated with increased cortical thickness. *Neuroreport*. 2005;16(17):1893-1897.
47. Bahadori E, Khayyer M, Samani S. The relationship between psychological hardiness with family flexibility and coping styles with stress. *Journal of Psychological Models and Methods*. 2012;2(7):1-18. [Persian]
48. Hayes SC, Wilson KG, Gifford EV, Follette VM, Strosahl K. Experiential avoidance and behavioral disorders: A functional dimensional approach to diagnosis and treatment. *Journal of Consulting and Clinical Psychology*. 1996;64(6):1152-1168.
49. Hayes SC, Luoma JB, Bond FW, Masuda A, Lillis J. Acceptance and commitment therapy:



- Model, processes and outcomes. *Behavior Research and Therapy*. 2006;44(1):1-25.
50. Bond FW, Flaxman PE, Bunce D. The influence of psychological flexibility on work redesign: Mediated moderation of a work reorganization intervention. *Journal of Applied Psychology*. 2008;93(3):645-654.
51. McCracken LM, Vowles KE, Eccleston C. Acceptance of chronic pain: component analysis and a revised assessment method. *Pain*. 2004;107:159-166.
52. Ghobari Bonab B, Motavalipoor A, Habibi Asgarabadi M. Relationship between anxiety and depression and magnitude of spirituality in students of the University of Tehran. *Journal of Applied Psychology*. 2009;3(2):110-123. [Persian]
53. Springer RM, Weaver AJ, Linderblatt RC, et al. Spirituality, depression, and loneliness among Jewish seniors residing in New York City. *Journal of Pastoral Care & Counseling*. 2003;57(3):305-318.
54. Desrosiers A, Miller L. Relational spirituality and depression in adolescent girls. *Journal of Clinical Psychology*. 2007;63(10):1021-1037.