

## Relationship of Glass Ceiling and Mental Health with Burnout in Women Working in Khansar and Golpayegan Health Care Networks in 2018

Houri Bayati <sup>a</sup>, Azam Alavi <sup>b\*</sup>

<sup>a</sup> School of Medical Sciences, Shahrekord Branch, Islamic Azad University, Shahrekord, Iran.  
<sup>b</sup> Department of Nursing, Shahrekord Branch, Islamic Azad University, Shahrekord, Iran.

ARTICLE INFO	ABSTRACT
<p><b>ORIGINAL ARTICLE</b></p> <p><b>Article History:</b>            Received: 20 Aug 2018            Revised: 14 Nov 2018            Accepted: 20 Nov 2018</p> <p><b>*Corresponding Author:</b>            Azam Alavi</p> <p><b>Email:</b>            azam_alavi92@yahoo.com</p> <p><b>Tel:</b> +98 9132839963</p> <p><b>Citation:</b>            Bayati H, Alavi A. Relationship of glass ceiling and mental health with burnout in women working in Khansar and Golpayegan health care networks in 2018. Social Behavior Research &amp; Health (SBRH). 2018; 2(2): 265-274.</p>	<p><b>Background:</b> Burnout affects people's occupational performance and reduces their efficiency. The present study was conducted to investigate the relationship of glass ceiling and mental health with burnout among women working in Khansar and Golpayegan health care networks.</p> <p><b>Methods:</b> The study population of this analytical- correlational study consisted of women working in Khansar and Golpayegan health care networks in 2018. In order to collect data, 159 women were selected from these health care networks using convenience random sampling. Data collection instruments were General Health Questionnaire, Glass Ceiling Inventory and Burnout Questionnaire. After collecting the questionnaires and drawing raw data, analysis of the data was performed using descriptive statistics (mean and standard deviation) and inferential statistics (Pearson's correlation coefficient and multiple regression analysis).</p> <p><b>Results:</b> Glass ceiling perception was correlated with emotional exhaustion 0.49 and personal accomplishment -38.8, and mental health with emotional exhaustion 0.54 and personal accomplishment -0.50 among women employed in Khansar and Golpayegan health care networks (P-value &lt; 0.001). Predictor variables (glass ceiling perception and mental health) could significantly predict emotional exhaustion and personal accomplishment. The model's coefficient of explanation also showed predictor variables (glass ceiling perception and mental health) could explain 46.2% and 26% of the variation in emotional exhaustion and personal accomplishment in these women.</p> <p><b>Conclusion:</b> Given the significant role of glass ceiling perception and mental health in predicting emotional exhaustion and personal accomplishment of employed women, it is suggested that the causative agents of the glass ceiling and damaging ones to mental health in employed women be taken into account to prevent burnout among them.</p> <p><b>Keywords:</b> Glass Ceiling, Mental Health, Burnout</p>



## Introduction

Working is essential for the continuation of life and the survival of community sustainability. The living costs of every individual are provided by work and the degree of self-sufficiency of each country depends on the level and type of performance of its working population. Skilled, interested and trained human resources in advanced industrial societies have had an undeniable impact on their development. It is necessary for a person to have a job that is compatible with his/her natural characteristics and the needs of the community, so that maximum efficiency of individuals can be used.<sup>1</sup> One of the main pillars of each organization is its human resources and without paying attention to the dimensions, motivations, and desires of individuals in the organization, it is definitely difficult for the organization to achieve its goals. In this regard, successful organizations are able to pay adequate attention to the degree of irritability and the role of the various factors in motivating individuals, and recognizing the different dimensions and angles of employee behavior and discovering his/her potential in the organization, so that they can guide him/her toward general purposes of the organization.<sup>2</sup>

Burnout is one of the main occupational issues that are commonly seen as a response to job and organizational pressures among human services staff. Burnout is a decrease in individual's adaptability to stressors and is a syndrome consisting of physical and emotional fatigue that leads to a negative self-concept, negative attitude toward the job, and a lack of communication with clients when performing duties.<sup>3, 4</sup> Burnout syndrome is an important problem in modern working environments and its prevalence has increased significantly over the past decade.<sup>5</sup> Burnout is an emotional fatigue syndrome, depersonalization and a decrease in personal success that can be found among people delivering some kind of the public services.<sup>6</sup> Emotional exhaustion refers to a condition in which the mental resources of the staff are reduced to a degree that they are no longer able to deliver the services they are expected

to deliver.<sup>7</sup> Fatigue represents the most significant component of stress in burnout. In addition, depersonalization has been defined as an ineffective coping mechanism due to occupational stress, which makes the staff become insensitive, cold, and negative in their dealings with others. The definitions of the depersonalization have been labeled with the word pessimism. The last dimension, in a positive way, has been characterized with sense of personal success, which is a feeling of depression expressed by employees, so that they no longer manage to achieve their goals and lose their confidence in their ability to perform their duties at the workplace. Burnout also has a negative impact on the quality of life of employees with intercommunication involvements and aggression. Feelings associated with burnout include disappointment, weakness, inability to achieve work goals, and decreased involvement in work.<sup>10</sup>

Several psychological, environmental, social and occupational factors can affect the incidence rate of burnout in people, especially women. One of the variables that seem to lead to burnout in female employees is glass ceiling. Women's failure to achieve high levels of management is referred to as the glass ceiling. Glass ceiling is just the barriers facing women in reaching the top level of the organization.<sup>11</sup> Accordingly, Sharif (2015) found in his research that women considered the male-dominant atmosphere in organizations and the lack of acceptance of female managers by men as barriers to their promotion.<sup>12</sup> In examining the causes of this issue, the glass ceiling and the factors affecting its development are the first subject to be addressed. Accordingly, the absence of women in executive management positions is not due to lack of managerial skills but due to cultural factors or organizational culture dominating highly patriarchal organizations.<sup>13</sup>

Another psychological component that can affect the phenomenon of burnout is the level of mental health.<sup>14</sup> The topic of health in general, and mental health in particular, is one of the challenging issues and is affected by normality and abnormality that in



turn is influenced by and gain meaning from social perspective, statistical and personal distress as well as the view of social disability or dysfunction.<sup>15</sup>

Adler defines competence in the development of social relations, Levinson in responsibility for others, and the reconciliation of the individual with his/her income and the recognition of the temporal and spatial situations, and Ginsburg in mastery, skill and communication in the three important areas of life, namely, love, work and recreation, and Rank mental health as life without fear and sin.<sup>16</sup> In terms of positive and holistic psychology, mental health includes the individual's ability to enjoy life, create balance between life activities and make attempt to achieve mental healing.<sup>17</sup>

Given the adverse role of burnout in occupational and communication productivity of individuals and the need to identify the related psychological and occupational components to plan for the application of appropriate therapeutic and educational methods, as well as lack of research on the relationship of glass ceiling and mental health with burnout among women working in Khansar and Golpayegan health care networks, this study was conducted to determine the relationship between these variables. Therefore, the main question of the present research is whether there is a significant relationship of the glass ceiling and mental health with burnout among women working in Khansar and Golpayegan health care networks.

### Methods

This analytical-correlational research was conducted to investigate the relationship of glass ceiling perception and mental health with burnout among women working in Khansar and Golpayegan health care networks. The study population consisted of women working in Khansar and Golpayegan healthcare networks in 2018. The samples of the study were 159 women working in Khansar and Golpayegan health care networks. Sample size was determined according to the Morgan and Krejcie Table (1970). The sampling method was convenience random sampling. The inclusion criteria included female gender, working

in Khansar and Golpayegan health care networks, willingness to participate in the study and lack of suffering from acute psychological and physical illnesses. Exclusion criteria included the lack of the questionnaire, giving unclear response(s) to the questionnaire's items, withdrawal from the study, and the incidence of an environmental or physical problem for the participant.

### General Health Questionnaire

This questionnaire, developed by Goldberg and Hiller, is used to detect mental disorders in various centers and environments. The items that examine the mental status of a person in the last month address certain symptoms such as abnormal thoughts and feelings and aspects of visible behavior. Therefore, the items emphasize the current situation and time.<sup>18</sup> This 28-item questionnaire includes four subscales, with seven items addressing each subscale. The subscales are physical symptoms (items 1 - 7), anxiety symptoms and sleep disorders (items 8 - 14), social function (items 15 - 21), and depression symptoms (items 22 - 28). To sum the items' scores, they are divided into 0, 1, 2, and 3. The minimum and maximum possible scores are 28 and 84, respectively. The lower the score on the questionnaire, the better the mental health.<sup>19</sup> Bakhshi Sourshojani (2008) reported the content validity of this questionnaire for Iranians desirable.<sup>20</sup> He also estimated the reliability of the subscales of this questionnaire at 0.69 - 0.91.

### Glass Ceiling Questionnaire

The Glass Ceiling Questionnaire was developed by Smith in 2012. This 38-item questionnaire consists of four subscales including denial (items 1-10), acceptance (items 11 - 20), resignation (items 21 - 31), and resilience (items 32-38). Items on two subscales denial and resilience are graded in reverse order. In this questionnaire, a 5-point Likert scale (scored 1 - 5) is used for scoring items. The lowest attainable score of the questionnaire is 38 and the highest attainable score 190. Accordingly, the questionnaire's cut-off score is 144. This questionnaire had previously been translated from



Persian into English in the study of Tabebordbar, Kamani, and Manouchehri by two translators. The original text and Persian duplicate of the questionnaire were reviewed by two management experts that had translation competencies. After conducting the necessary corrections, the Persian duplicate was given to two management professors to investigate its content and face validity. The face and content validity of the questionnaire was confirmed by the professors. The reliability of this questionnaire was estimated by the cited researchers at 0.70-0.83.<sup>22</sup> Smith reported the Cronbach's alpha coefficient for resignation, denial, acceptance, and resilience at 0.71, 0.81, 0.72, and 0.70, respectively.<sup>23</sup>

#### **The Maslach and Jackson Burnout Inventory**

The Maslach and Jackson Burnout Inventory have 25 items and measures four factors. The first nine items are related to emotional exhaustion, the following eight items to personal accomplishment, the subsequent five items to depersonalization, and the last three items to involvement. This questionnaire measures all four subscales of burnout. For scoring each subscale, each item is given two scores (frequency and severity). If the respondents ticks Never, he/she will be given score zero in both frequency and severity. Otherwise, if he/she ticks the choices on frequency and severity, he/she will be given the score 1-6 on frequency (from a few times per year to every day) and score 1-7 on severity (from very low to very high) depending on the selected choice. When scores on each item are determined, then the scores of the subscales can be calculated by summing the scores of their respective items. The scores of the four subscales cannot be summed, because in some subscales, high scores represent low levels of burnout (such as emotional exhaustion) and in some subscales (such as personal accomplishment), low scores represent high levels of burnout.<sup>23</sup>

Using Cronbach's alpha coefficient, Maslach and Jackson calculated the internal consistency of the inventory for the frequency at 0.83 and for the

severity at 0.84. Besides, the reliability coefficient of the questionnaire was 0.82 for the frequency and 0.53 for the severity. Based on the internal consistency reports, a strong correlation ( $r = 0.79$ ) was obtained between the responses given in test-retest. In a preliminary study carried out by Badri Gargari (1995), the psychometric characteristics below were obtained: emotional exhaustion 0.78; personal accomplishment 0.79; depersonalization 82.2; and involvement 81.8.

Reliability of fatigue scales Emotional, personal accomplishment, depersonalization and involvement in this study were 0.79, 0.77, 0.81 and 0.80 respectively using Cronbach's alpha coefficient, respectively. Analysis of the raw data drawn in this study was done by SPSS<sub>23</sub> using descriptive and inferential statistics, Pearson's correlation coefficient and multiple regression analysis. First, by means of Pearson's correlation coefficient, the relationship of the glass ceiling and mental health with burnout was investigated, and then by using multiple regression, the contribution of each of these predictor variables to predicting

#### **Results**

Seventy nine 54.9% women were married and 65 45.1% single. Most participants were 30 years and younger [n: 65 (45.1%)]. In addition, most participants had bachelor's degree [n: 85 (59%)].

Ninety participants 62.5% had less than 10 years of work experience, 39 (27.1%) a work experience of 10 - 20 years, and 15 (10.4%) a work experience of 20 years or more.

The total score on burnout cannot be obtained by summing up the scores on its subscales. It should also be noted that according to the General Health Questionnaire's scoring, higher scores represent lower mental health and vice versa. The results of the Kolmogorov-Smirnov test showed that the data fulfilled normal distribution presumption ( $P$ -value  $< 0.05$ ). Homogeneity of variance was also estimated by Levene's test. Our results indicated that the statistical test was not significant; indicating that homogeneity of variances was observed ( $P$ -value  $<$



0.05). Now, the results of inferential statistics are presented.

According to Pearson's correlation coefficients, it is clear that there is a significant correlation between the glass ceiling perception and emotional exhaustion 0.49 and personal accomplishment -0.88 in our participants. Besides, mental health was significantly correlated with emotional exhaustion 0.54 and personal accomplishment -0.51 in our participants. It should be noted that according to the General Health Questionnaire's scoring, higher scores represent lower levels of mental health. Accordingly, mental health had an inverse correlation with emotional exhaustion and a positive correlation with personal accomplishment. After ensuring correlation between the components, the regression tables are analyzed to determine the contribution of each of the predictor variables (glass ceiling perception and mental health) to predicting variables (emotional exhaustion, personal accomplishment, depersonalization and involvement) significantly in women working in Khansar and Golpayegan health care networks.

Based on the results of the above table, the F values in regression model for emotional exhaustion and personal accomplishment are significant.

However, the F values in regression model for depersonalization and involvement were not significantly different.

Therefore, predictor variables (glass ceiling perception and mental health) could significantly predict criterion variables (emotional exhaustion and personal accomplishment) in our participants. The model's coefficient of explanation also showed that predictor variables (glass ceiling perception and mental health) could explain 46.26% and 26% of the variation in the emotional exhaustion and the personal accomplishment in our participants. The regression coefficients of the emotional exhaustion and personal accomplishment scores in women working in Khansar and Golpayegan health care networks were examined based on predictor variables (glass ceiling perception and mental health). It should be noted that regression coefficients of

depersonalization and involvement scores were not investigated due to insignificant results obtained from analysis of variance in these variables.

First, it should be noted that the study of the collinearity of predictor variables by the tolerance index in the emotional exhaustion variable indicated that 0.86 variance in glass perception was not explained by mental health and 84% of the variance in mental health was not explained by glass ceiling perception, which indicates a low correlation between predictor variables, which provides the basis for using regression analysis for the emotional exhaustion variable. The study of the collinearity of predictor variables by the tolerance index in the personal accomplishment variable indicated that 0.77 variance in glass ceiling perception was not explained by mental health and 81% of the variance in mental health was not explained by glass ceiling perception, which indicates a low correlation between predictor variables, which provides the basis for using regression analysis for the personal accomplishment variable.

The results of the above table show that in the emotional exhaustion, regression coefficients of glass ceiling perception and mental health are significant. Thus, a 1-point increase in glass ceiling perception, if mental health remains fixed, would lead to an average increase of 0.42 standard deviation in emotional exhaustion. Besides, a 1-point increase in mental health, if glass ceiling perception remains fixed, would lead to an average increase of 0.45 standard deviation in emotional exhaustion. In the personal accomplishment variable, the coefficients of regression for glass ceiling perception and mental health were significant. Thus, a 1-point increase in glass ceiling perception, if glass ceiling perception remains fixed, would lead to an average decrease of 0.30 standard deviation in personal accomplishment. In addition, a 1-point increase in mental health, if the glass ceiling perception component remains fixed, would lead to an average decrease of 0.45 standard deviation in personal accomplishment. Regarding the standard beta coefficients, the mental health is considered a stronger predictor for emotional

exhaustion and personal accomplishment than the glass ceiling perception.

In the implementation of this research, as in any other research, there were some limitations. For example, this research was conducted only on the women working in Khansar and Golpayegan health care networks. Precautions should be taken to generalize results to other groups and cities. In

addition, the present study suffered from a methodological limitation, as the causal inference from our study's findings is limited due to its correlational design. Finally, the lacks of cooperation of officials in some of the centers, as well as the unwillingness of some women working in these centers, were among the other limitations of the study.

**Table 1.** Descriptive data on glass ceiling perception, mental health, and burnout subscales (emotional exhaustion, personal accomplishment, depersonalization and involvement).

	Components	Mean	SD	Max	Min
Subscales of burnout	Glass ceiling perception	94.52	16.09	143	52
	Mental health	53.58	10.60	86	33
	Emotional exhaustion	36.39	12.94	62	11
	Personal accomplishment	34.78	11.64	50	8
	Involvement	24.15	10.25	35	5
		11.12	5.73	21	3

**Table 2.** Pearson's correlation matrix of glass ceiling perception and mental health with burnout (emotional exhaustion, personal accomplishment, depersonalization and involvement) in women working in Khansar and Golpayegan healthcare networks

Variables		Emotional exhaustion	Personal accomplishment	Depersonalized	Involvement
Glass ceiling perception	Pearson's correlation	0.49**	-0.38**	0.09	0.07
	Significance level	0.0001	0.0001	0.11	0.15
Mental health	Personal accomplishment	**0.54	-0.50**	0.06	0.12
	P-value	0.0001	0.0001	0.34	0.08

P-value = 0.01

**Table 3.** Summary of analysis of variance of regression model of scores on emotional exhaustion, personal accomplishment, depersonalization and involvement in women working in Khansar and Golpayegan health care networks based on predictor variables (glass ceiling perception and mental health)

Dependent variable	Source of variation	Total sum of squares	df	Mean square	F	Significance level	Multiple correlation coefficient	Coefficient of explanation
Emotional exhaustion	Regression	1179.36	2	589.68	25.20	0.0001	0.68	0.462
	Remaining	33064.2	141	23.40				
	Total	34243.56	143					
Personal accomplishment	Regression	707.34	2	253.67	18.43	0.0001	0.51	0.26
	Remaining	2705.79	141	19.19				
	Total	3413.13	143					
Depersonalized	Regression	25.30	2	12.65	1.25	0.19	0.07	0.005
	Remaining	1426.92	141	10.12				
	Total	1452.22	143					
Involvement	Regression	54.65	2	27.32	2.22	0.11	0.09	0.008
	Remaining	1735.71	141	12.31				
	Total	1790.36	143					



**Table 4.** Regression coefficients of emotional exhaustion and personal accomplishment scores in women working in Khansar and Golpayegan health care networks based on glass ceiling perception and mental health

Criterion variable	Predictor variable	(B)	(Std. Error)	(β)	t	P-value	Examine the
							coherence index
							Tolerance index
Emotional exhaustion	Glass ceiling perception	1.33	0.30	0.42	4.43	0.0001	0.86
	Mental Health	0.93	0.18	0.45	5.16	0.0001	0.84
Personal accomplishment	Glass ceiling perception	-0.89	0.26	-0.30	-3.42	0.001	0.77
	Mental Health	-1.23	0.25	-0.40	-5.01	0.0001	0.81

### Discussion

The purpose of this study was to investigate the relationship of glass ceiling and mental health with burnout in women working in Khansar and Golpayegan health care networks. The results of the data analysis showed that glass ceiling perception and mental health were significantly correlated with emotional exhaustion and personal accomplishment in women working in Khansar and Golpayegan health care networks. In addition, the results showed that glass ceiling perception and mental health could predict emotional exhaustion and personal accomplishment. In addition, the model's explanation coefficient also showed that the glass ceiling perception and mental health could explain 46.2% and 26% of the variation in emotional exhaustion and personal accomplishment, respectively, in our participants.

Regarding the correlation of glass ceiling perception with emotional exhaustion and personal accomplishment in women, the results of this study are consistent with the study of Glass and Cook.<sup>25</sup> They reported that women perceived the glass ceiling as one of their main occupational barriers, and also believed that the leaders of the organizations were involved in the emergence of this process, and therefore they lost their job enthusiasm and their performance was influenced. In agreement with the current study, the study of Titrek et al. (2014) showed women were highly interested in developing their own personal skills to become leaders in society, and they increasingly believed that they could be leaders in the community.<sup>26</sup> Nevertheless, women in Turkey still believe that there are particular obstacles facing

them towards becoming a manager (leader), which reduces their job performance. In addition, in a study that reported consistent results<sup>22</sup> with the present study, a significant relationship was observed between the belief in women's glass ceilings and its subscales, i.e., resilience, resignation, acceptance and denial, and the mental success in employed women. The study of Ataf et al. (2017) showed that the four main categories of barriers to women's access to management positions, from the perspective of women, were personal barriers, organizational barriers, social barriers and political barriers, of which organizational barriers (glass ceiling) was the most important factor and had an adverse impact on the psychological status of employed women.<sup>27</sup>

To explain this finding, it should be argued that, according to Akpinar Sposito (2013), women consider male-dominated atmosphere of organizations and the lack of accepting female managers by men to be obstacles to their promotion.<sup>28</sup> In examining the causes of this issue, the glass ceiling and the factors effective on its development needs to be addressed first. The most important factor for gender inequalities in organizations and the main obstacle to women's career advancement is the existence of a glass ceiling.<sup>29</sup> The invisible barriers and glass ceiling, as referred by the researchers, are in fact all false beliefs and perceptions regarding women in society; and these gender stereotypes act unconsciously in society and the organization, and prevent the progress of women in different areas. This process makes women more emotionally exhausted due to their emotional characteristics compared to men's,

and therefore their personal performance in the workplace is influenced. Regarding the significant correlation of mental health with emotional exhaustion and personal accomplishment in employed women, our results are in agreement with the findings of Motalebi and Kiani (2017), as they found that mental health was associated with burnout among teachers.<sup>30</sup>

In addition, Marvian Hosseini and Lariye Dashte Bayaz (2015) studied the role of burnout in the relationship between stress and job performance in staff. The results of that study showed that there was a significant relationship stress and burnout between burnout and job performance, and stress and job performance.<sup>31</sup> In explaining the significant relationship between anxiety symptoms and emotional exhaustion, it should be argued that anxiety is a diffuse, unpleasant and vague feeling of fear and apprehension with unknown origin, including uncertainty, helplessness, and physiological excitation. Anxiety includes negative emotion and a feeling of concern about the danger that is likely to occur.<sup>32</sup> An anxious person has a constant feeling of concern arousal, and excitability. This process causes him/her to constantly experience psychological, emotional, and physiological tiredness. Accordingly, employed women with anxiety symptoms develop emotional exhaustion.

In addition, the results of this hypothesis indicate the relationship of depression with emotional exhaustion and personal accomplishment. In explaining this finding, it should be argued that depressive disorder is also one of the most common psychological problems in adults and employees.<sup>33</sup> Depressive disorder is defined as a psychological problem in which a person constantly experiences deep and persistent discomfort and reduced interest in all activities.<sup>34</sup> Depressive disorder affects normal personal and family performance adversely. Depression symptoms create negative emotions. Previous studies have also shown that people with symptoms of depression suffer from numbness in social, occupational, sexual, emotional and psychological areas. This process makes employed

women with depression symptoms avoid the work environment or become inactive in the workplace, and experience decline in job performance and emotional exhaustion.

Accordingly, it is suggested that this research be replicated across other cities and other groups because of the generalizability of the results, so that the effect of cultural differences can be identified. It is also suggested that in future research, experimental research methods be conducted using appropriate psychological therapeutic methods, to avoid methodological limitations of causal inference.

### Conclusion

In a general conclusion, it should be argued that due to the significant role of the components of glass ceiling perception and mental health in predicting emotional exhaustion and the personal accomplishment of employed women, the causative agents of the glass ceiling and damaging ones to mental health of employed women should be taken into account to prevent burnout.

### Conflicts of Interest

In this study, was not reported any potential conflicts of interest with the authors.

### Acknowledgments

The present paper was derived from a master's thesis. Therefore, all women in the research and Khansar and Golpayegan health care networks staff, who collaborated in this study, are gratefully acknowledged. Further, in the current study all ethical issues were observed base on the Helsinki Declaration.

### Authors' Contribution

Conceptualization, H.B. and A.A.; Methodology, H.B.; Formal Analysis, A.A.; Investigation, A.A.; Data Curation, A.A.; Writing – Original Draft, H.B. and A.A.; Writing – Review and Editing, H.B.; Resources, A.A.; Supervision, H.B.

All authors read and approved the final manuscript and are responsible about any question related to article.

### References





1. Yew T. Job satisfaction and affective commitment: A study of employees in the tourism industry in Sarawak, Malaysia. *Sunway Academic Journal*. 2007;4:27-43.
2. Nouranipour Rahmatallah, Akbarzadeh Abdoljabar Hasan. A study of the relationship between personality characteristics and petrochemical corporation personnel's' job satisfaction in Tabriz. (*Journal of Instruction and Evaluation*) *Journal of Educational Sciences*. 2011;4(14):25-44. [Persian]
3. Pardakhtchi MH, Ahmadi Gh, Arezomand F. The quality of work life and burnout among teachers and principals in Takestan schools. *Journal of Educational Leadership & Administration*. 2009;3(3):25-50. [Persian]
4. Hosseini M, Sedghi Goyaghaj N, Alamadarloo A, Farzadmehr M, Mousavi A. The relationship between job burnout and job performance of clinical nurses in Shiraz Shahid Rajaei hospital (thruma) in 2016. *Journal of Clinical Nursing and Midwifery*. 2017;6(2):59-68. [Persian]
5. Cañadas De la Fuente GA, Vargas C, San Luis C, García I, Cañadas GR, Emilia I. Risk factors and prevalence of burnout syndrome in the nursing profession. *International Journal of Nursing Studies*. 2015;52(1):240-249.
6. Van Droogenbroeck F, Spruyt B, Vanroelen C. Burnout among senior teachers: Investigating the role of workload and interpersonal relationships at work. *Teaching and Teacher Education*. 2014;43:99-109.
7. Dworkin AG, Saha LJ, Hill AN. Teacher burnout and perceptions of a democratic school environment. *International Education Journal*. 2003;4(2):108-120.
8. Ambrose SC, Rutherford BN, Shepherd CD, Tashchian A. Boundary spanner multi-faceted role ambiguity and burnout: An exploratory study. *Industrial Marketing Management*. 2014;43(6):1070-1078.
9. Adriaenssens J, De Gucht V, Maes S. Determinants and prevalence of burnout in emergency nurses: A systematic review of 25 years of research. *International Journal of Nursing Studies*. 2015;52(2):649-661.
10. Meyer RM, Li A, Klaristenfeld J, Gold JJ. Pediatric novice nurses: Examining compassion fatigue as a mediator between stress exposure and compassion satisfaction, burnout, and job satisfaction. *Journal of Pediatric Nursing*. 2015; 30(1):174-183.
11. Weyer B. Twenty years later: Explaining the persistence of the glass ceiling for women leaders. *Women in Management Review*. 2007;22(6):482-496.
12. Sharif MY. Glass ceiling, the prime driver of women entrepreneurship in Malaysia: A phenomenological study of women lawyers. *Procedia-Social and Behavioral Sciences*. 2015;169:329-336.
13. Mitra A. Breaking the glass ceiling: African-American women in management positions. *Equal Opportunities International*. 2003;22(2): 67-79.
14. Ghani K, Ghodsi A, Rahimi Movaghar A, Mobaraki H. Determination of the associated factors on the educational progress of the students of Iran University of Medical Sciences in 2009-2010. *Teb Va Tazkieh*. 2010;19(3):31-36.
15. Nikkhab M. The effectiveness of acceptance and commitment therapy on anxiety and mental health of students with exam anxiety. [MSc Thesis]. Iran. Islamic Azad University, Isfahan Branch (Khorasgan). Isfahan; 2016. [Persian]
16. Milani Far B. *Mental Health*. 3rd ed. Tehran: Qomes Publications; 2007. [Persian]
17. Kaewboonchoo O, Saipech T, Chandanasotthi P, Arporn S. Mental health status among Thai hospital nurses. *Journal of the Medical Association of Thailand*. 2009;92(7):83-87.
18. Nourbala AA, Bagheri Yazdi SA, Mohammad K. The validation of general health questionnaire- 28 as a psychiatric screening tool. *Hakim Health System Research Journal*. 2009;11(4):47-53. [Persian]
19. Gholamiborang F, Moghaddari M, Adelipoor Z. The Role of Emotional Intelligence and Self-Efficacy in Prediction of Mental Health among



- Students of Birjand Medical Science University. Quarterly Journal of Sabzevar University of Medical Sciences. 2015;22(1):160-168.
20. Bakhshi Sourshojani L. Relationship between emotional intelligence, mental health and academic achievement. Curriculum Planning Knowledge & Research In Educational Sciences. 2008; 22(19):97-116. [Persian]
21. Smith, Paul, Connections between women's glass ceiling beliefs, explanatory style, self-efficacy, career levels and subjective success. [Doctorate Thesis]. University of Wollongong, School of Psychology, 2012.
22. Tabebordbar F, Kamani SMH, Manochehri B. Investigating the relationship between belief in the glass ceiling and mental success of female employees in Shiraz municipality. Sociology of Women (Journal of Woman and Society). 2016;6(4):125-143. [Persian]
23. Maslach C, Jackson SE. The measurement of experienced burnout. Journal of Organizational Behavior. 1981;2(2):99-113.
24. Salahian A, Oreizi HR, Babamiri M, Asgari A. The predictor factors of burnout syndrome in Isfahan nurses. Iranian Journal Of Nursing Research. 2012;6(23):23-31. [Persian]
25. Glass C, Cook A. Leading at the top: Understanding women's challenges above the glass ceiling. The Leadership Quarterly. 2016; 27(1): 51-63.
26. Titrek O, Bayrakci M, Gunes DZ. Barriers to women's leadership in Turkey. The Anthropologist. 2014;18(1):135-144.
27. Ataf Z, Ghasemi Hamedani I, Haj Alian M. The effect of glass ceiling on the non-use of female executives in governmental organizations in Mazandaran province. Iranian Journal of Public Administration Mission. 2017; 8(27): 81-92. [Persian]
28. Akpinar Sposito C. Career barriers for women executives and the Glass Ceiling Syndrome: the case study comparison between French and Turkish women executives. Procedia-Social and Behavioral Sciences. 2013;75:488-497.
29. Laven R. Organizational behavior. (Translated by Hassan Zadeh and Tabari). Teran: Sabalan; 2002. [Persian]
30. Motalebi K, Kiani Gh. The correlation between job burnout and mental health of teachers in special schools of Zanjan: Mediation of job involvement. Management of Health Promotion. 2017;6(3):52-60. [Persian]
31. Marvian Hosseini Z, Lariye Dashte Bayaz M. Investigating the role of occupational burnout on the relationship between stress and job performance of auditors. Quarterly Journal of Health Accounting. 2015;4(1):57-80. [Persian]
32. Davies MR. The stigma of anxiety disorders. International Journal of Clinical Practice. 2000;54(1):44-47.
33. Watts SJ, Markham RA. Etiology of depression in children. Journal of Instructional Psychology. 2005;32(3).
34. Ganji H. Psychological Pathology Based on DSMV. Tehran: Savalan Publications; 2013. [Persian]